


Syscall traces

CSE 536 Spring 2026
jedimaestro@asu.edu



```
ubuntu@ubuntu:~$ echo $$
```

```
1200
```

```
ubuntu@ubuntu:~$ _
```

```
ubuntu@ubuntu:~$ sudo strace -p 1200 -f -o /tmp/st.txt
```

```
ubuntu@ubuntu:~$ echo $$
1200
ubuntu@ubuntu:~$ ps aux | sort | head -n 5
message+      660  0.0  0.2   9780  5608 ?        Ss   21:50   0:00 @dbus-daemon
--system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-
nly
polkitd       669  0.0  0.4 308164  8104 ?        Ss1  21:50   0:00 /usr/lib/polkit-1/polkitd --no-debug
root          10  0.0  0.0     0     0 ?        I<   21:50   0:00 [kworker/0:0H
-events_highpri]
root         1013  0.0  0.0     0     0 ?        I    21:50   0:00 [kworker/0:4]
root          1   0.7  0.6  22060 13236 ?        Ss   21:50   0:01 /sbin/init
ubuntu@ubuntu:~$ _
```

```
ubuntu@ubuntu:~$ echo "hello there" > /tmp/afile.txt; cat /tmp/afile.txt  
hello there  
ubuntu@ubuntu:~$
```

```
ubuntu@ubuntu:~$ mkfifo /tmp/mynamedpipe; cat /tmp/mynamedpipe & sleep 10; echo  
"a message" > /tmp/mynamedpipe  
[1] 1382  
ubuntu@ubuntu:~$ a message
```

```
ubuntu@ubuntu:~$ mkfifo /tmp/mynamedpipe; cat /tmp/mynamedpipe & sleep 10; echo  
"a message" > /tmp/mynamedpipe
```

```
[1] 1382
```

```
ubuntu@ubuntu:~$ a message
```

```
[1]+  Done
```

```
cat /tmp/mynamedpipe
```

```
ubuntu@ubuntu:~$
```

```
ubuntu@ubuntu:~$
```

```
ubuntu@ubuntu:~$ mkfifo /tmp/mynamedpipe; cat /tmp/mynamedpipe & sleep 10; echo  
"a message" > /tmp/mynamedpipe  
[1] 1415  
a message  
[1]+  Done                  cat /tmp/mynamedpipe  
ubuntu@ubuntu:~$  
ubuntu@ubuntu:~$  
ubuntu@ubuntu:~$  
ubuntu@ubuntu:~$ _
```

```
ubuntu@ubuntu:~$ man 2 pipe
```

pipe(2) System Calls Manual pipe(2)

NAME

pipe, pipe2 - create pipe

LIBRARY

Standard C library (`libc`, `-lc`)

SYNOPSIS

```
#include <unistd.h>
```

```
int pipe(int pipefd[2]);
```

```
#define _GNU_SOURCE /* See feature_test_macros(7) */  
#include <fcntl.h> /* Definition of O_* constants */  
#include <unistd.h>
```

```
int pipe2(int pipefd[2], int flags);
```

```
/* On Alpha, IA-64, MIPS, SuperH, and SPARC/SPARC64, pipe() has the  
following prototype; see VERSIONS */
```

```
#include <unistd.h>
```